3 Movement Rotate,Swivel & Tilt
LED/ LCD/PLASMA WALL MOUNT
Premium Series



model
23

Fits up to	Max	
37" / 94 cm	US	EU
LED/LCD/Plasma	44 lbs	20 kg

⚠ CAUTION - This Mount is intended for use only with the maximum weight as indicated. Using heavier products, might cause injury.


A
x1
B
x1
C
x1
D
x4
E
x1
F
x2
H
x2
I
x1
J
x4
K
x3
L
x3
M
x3
D
d
| D mm | d mm | =
N | 12 | 7 | x7
O | 12 | 5.4 | x4
P
x4
Q
x4
D
L
| D mm | L mm | =
R | M4 | 16 | x4
S | M5 | 20 | x4
T | M6 | 20 | x4
U | M6 | 14 | x4
Tools Required
6mm
1/4"
10mm
3/8"
4mm
5/32"
No.2+3
1 meter
10mm


1
Max 200mm/7.87"
Max 200mm/ 7.87"
2A
100mm/ 3.94"
100mm/ 3.94"
2B
75mm/ 2.95"
75mm/ 2.95"
2C

2A VESA 200x200





2B VESA 100x100



2C VESA 75x75



3






4A
A
X+9cm/3.5"
M
Ø4 mm
(5/32")
70 mm
(2.76")
FORCE
N
L
A
5


4B
A
X+9/3.5"
STOP
DANGER
STOP
Ø6mm (1/4")
1
80 mm (3")
Ø10mm (3/8")
2
80 mm (3")


The anchor must be
sunk up to 10 mm(3/8")
into the plaster coating
M
10mm
(3/8")
Plaster
Coating
A
N
L
FORCE
2
x Min 2
1
1
2
X Min 4
Max 9
5

5 TEST!



20Kg/ 44Lbs.

















6


6
I
K


CABLE MANAGEMENT
+/- 5°
SCREEN LEVELING


EASY TILT
TV
1
2
3


7
DISCONNECT


1
2


1
2


TV
1
2